



State of Utah

M/035/002

DEPARTMENT OF ENVIRONMENTAL QUALITY DIVISION OF WATER QUALITY

Michael O. Leavitt
Governor
Dianne R. Nielson, Ph.D.
Executive Director
Don A. Ostler, P.E.
Director

288 North 1460 West
P.O. Box 144870
Salt Lake City, Utah 84114-4870
(801) 538-6146 Voice
(801) 538-6016 Fax
(801) 536-4414 T.D.D.

Water Quality Board
Keith W. Welch
Chairman

Lynn F. Pett
Vice Chairman

R. Rex Ausburn, P.E.
David S. Bowles, Ph.D.,
P.E.

Nan Bunker

Leonard Ferguson

Dianne R. Nielson, Ph.D.

Joe C. Nielson

K.C. Shaw, P.E.

J. Ann Wechsler

Leroy H. Wullstein, Ph.D.

Don A. Ostler, P.E.
Executive Secretary

February 5, 1997

Ms. Elaine J. Dorward-King, Ph.D.
Director, Environmental Affairs
Kennecott Utah Copper
8315 West 3645 South
Magna UT 84044-6001

Dear Ms. Dorward-King:

Subject: Receipt of Ground Water Discharge Permit Application for Kennecott North Concentrator; Proposed Ground Water Discharge Permit No. UGW350015

The application for a Ground Water Discharge Permit for the North Concentrator, at the Kennecott Utah Copper operations, was received by our offices on January 29, 1997. The application will be reviewed upon completion of the draft permit for the KUC Leach Collection System. Completion of the initial review of the North Concentrator is anticipated by April 30, 1997. A draft permit will be compiled upon satisfactory resolution of any deficiencies in the application.

If you have any questions on this matter, please call me at 538-6053

Sincerely,

John Whitehead, Ground Water Hydrologist
Ground Water Protection Section

JW:wlm

cc: Terry Sadler, Salt Lake County Health
Wayne Hedberg, DOGM
Kate Johnson, DERR

P:\WQ\PERMITS\WHITEHEAD\KENNECOTT\NORTHCON\APPACKN.LTR
FILE:KENNECOTT NORTH CONCENTRATOR

0001

